

Dane do obliczeń :

| | | | | PORA DZIENNA | |
|-----------------|-------|-------|-------|--------------|--------|
| Źródła punktowe | | | | | |
| Nr | X [m] | Y [m] | z [m] | Pma | Symbol |
| 1 | 43.0 | 77.0 | 0.5 | 75.7 | zp-1 |
| 2 | 53.0 | 77.0 | 0.5 | 75.7 | zp-2 |
| 3 | 63.0 | 77.0 | 0.5 | 75.7 | zp-3 |
| 4 | 73.0 | 77.0 | 0.5 | 75.7 | zp-4 |
| 5 | 83.0 | 79.0 | 0.5 | 75.7 | zp-5 |
| 6 | 93.0 | 81.0 | 0.5 | 78.4 | zp-6 |
| 7 | 102.5 | 83.8 | 0.5 | 78.4 | zp-7 |
| 8 | 112.0 | 86.5 | 0.5 | 75.7 | zp-8 |
| 9 | 121.5 | 89.3 | 0.5 | 75.7 | zp-9 |
| 10 | 131.0 | 92.0 | 0.5 | 75.7 | zp-10 |
| 11 | 141.0 | 94.0 | 0.5 | 75.7 | zp-11 |
| 12 | 150.7 | 96.7 | 0.5 | 75.7 | zp-12 |
| 13 | 160.3 | 99.3 | 0.5 | 75.7 | zp-13 |
| 14 | 170.0 | 102.0 | 0.5 | 75.7 | zp-14 |
| 15 | 179.7 | 104.7 | 0.5 | 75.7 | zp-15 |
| 16 | 189.3 | 107.3 | 0.5 | 75.7 | zp-16 |
| 17 | 199.0 | 110.0 | 0.5 | 75.7 | zp-17 |
| 18 | 209.0 | 112.0 | 0.5 | 78.4 | zp-18 |
| 19 | 218.0 | 114.0 | 0.5 | 78.4 | zp-19 |
| 20 | 229.0 | 112.0 | 0.5 | 78.4 | zp-20 |
| 21 | 237.0 | 106.0 | 0.5 | 75.7 | zp-21 |
| 22 | 245.0 | 100.0 | 0.5 | 75.7 | zp-22 |
| 23 | 253.0 | 94.0 | 0.5 | 78.4 | zp-23 |
| 24 | 261.0 | 88.0 | 0.5 | 78.4 | zp-24 |
| 25 | 271.0 | 84.0 | 0.5 | 78.4 | zp-25 |
| 26 | 281.0 | 83.0 | 0.5 | 78.4 | zp-26 |
| 27 | 291.0 | 84.0 | 0.5 | 78.4 | zp-27 |
| 28 | 301.0 | 84.0 | 0.5 | 75.7 | zp-28 |
| 29 | 108.0 | 76.0 | 0.5 | 68.4 | zp-29 |
| 30 | 252.0 | 84.0 | 0.5 | 68.4 | zp-30 |
| 31 | 269.0 | 94.0 | 0.5 | 68.4 | zp-32 |
| 32 | 270.0 | 104.0 | 0.5 | 65.7 | zp-33 |
| 33 | 286.0 | 74.0 | 0.5 | 68.4 | zp-34 |
| 34 | 288.0 | 65.0 | 0.5 | 65.7 | zp-35 |
| 35 | 243.0 | 81.0 | 0.5 | 65.7 | zp-31 |

Program LEQ Professional w.6

Wydruk wyników obliczeń

Projekt :

| X [m] | Y [m] | Leq [dB(A)] |
|-------|-------|-------------|
| 251,0 | 73,5 | 51,9 |
| 228,6 | 71,4 | 49,0 |
| 239,8 | 72,5 | 50,3 |
| 221,1 | 62,1 | 47,5 |
| 204,3 | 59,9 | 46,8 |

Dane do obliczeń :

| | | | | PORA NOCNA | |
|-----------------|-------|-------|-------|------------|--------|
| Źródła punktowe | | | | | |
| Nr | X [m] | Y [m] | z [m] | Pma | Symbol |
| 1 | 43.0 | 77.0 | 0.5 | 71.7 | zp-1 |
| 2 | 53.0 | 77.0 | 0.5 | 71.7 | zp-2 |
| 3 | 63.0 | 77.0 | 0.5 | 71.7 | zp-3 |
| 4 | 73.0 | 77.0 | 0.5 | 71.7 | zp-4 |
| 5 | 83.0 | 79.0 | 0.5 | 71.7 | zp-5 |
| 6 | 93.0 | 81.0 | 0.5 | 74.5 | zp-6 |
| 7 | 102.5 | 83.8 | 0.5 | 74.5 | zp-7 |
| 8 | 112.0 | 86.5 | 0.5 | 71.7 | zp-8 |
| 9 | 121.5 | 89.3 | 0.5 | 71.7 | zp-9 |
| 10 | 131.0 | 92.0 | 0.5 | 71.7 | zp-10 |
| 11 | 141.0 | 94.0 | 0.5 | 71.7 | zp-11 |
| 12 | 150.7 | 96.7 | 0.5 | 71.7 | zp-12 |
| 13 | 160.3 | 99.3 | 0.5 | 71.7 | zp-13 |
| 14 | 170.0 | 102.0 | 0.5 | 71.7 | zp-14 |
| 15 | 179.7 | 104.7 | 0.5 | 71.7 | zp-15 |
| 16 | 189.3 | 107.3 | 0.5 | 71.7 | zp-16 |
| 17 | 199.0 | 110.0 | 0.5 | 71.7 | zp-17 |
| 18 | 209.0 | 112.0 | 0.5 | 74.5 | zp-18 |
| 19 | 218.0 | 114.0 | 0.5 | 74.5 | zp-19 |
| 20 | 229.0 | 112.0 | 0.5 | 74.5 | zp-20 |
| 21 | 237.0 | 106.0 | 0.5 | 71.7 | zp-21 |
| 22 | 245.0 | 100.0 | 0.5 | 71.7 | zp-22 |
| 23 | 253.0 | 94.0 | 0.5 | 74.5 | zp-23 |
| 24 | 261.0 | 88.0 | 0.5 | 74.5 | zp-24 |
| 25 | 271.0 | 84.0 | 0.5 | 74.5 | zp-25 |
| 26 | 281.0 | 83.0 | 0.5 | 74.5 | zp-26 |
| 27 | 291.0 | 84.0 | 0.5 | 74.5 | zp-27 |
| 28 | 301.0 | 84.0 | 0.5 | 71.7 | zp-28 |
| 29 | 108.0 | 76.0 | 0.5 | 65.7 | zp-29 |
| 30 | 252.0 | 84.0 | 0.5 | 65.7 | zp-30 |
| 31 | 269.0 | 94.0 | 0.5 | 65.7 | zp-32 |
| 32 | 270.0 | 104.0 | 0.5 | 62.3 | zp-33 |
| 33 | 286.0 | 74.0 | 0.5 | 65.7 | zp-34 |
| 34 | 288.0 | 65.0 | 0.5 | 62.3 | zp-35 |
| 35 | 243.0 | 81.0 | 0.5 | 62.3 | zp-31 |

Program LEQ Professional w.6

Wydruk wyników obliczeń

Projekt :

| X [m] | Y [m] | Leq [dB(A)] |
|-------|-------|-------------|
| 251,0 | 73,5 | 48,1 |
| 228,6 | 71,4 | 45,1 |
| 239,8 | 72,5 | 46,5 |
| 221,1 | 62,1 | 43,6 |
| 204,3 | 59,9 | 42,9 |